

CERTIFICATE



AS INSTALTHERM SRL, Str. Careiului No. 45,
Hall No. 8, Vetiș, Satu Mare, România.

FAKE



A 864

SKZ A 864 is being misused. The certificate holder is SESTA SRL

for the following plastic products

Heating pipes made of PE-RT type II with or without oxygen barrier,
1-, 3- and 5-layer, dimension group ($\leq \varnothing 63$ mm)

Dimension	Application class	
	4	5
1-layer:	$\varnothing 16 \times 2.0$ mm	8 bar
	$\varnothing 18 \times 2.0$ mm, $\varnothing 26 \times 3.0$ mm	6 bar
	$\varnothing 20 \times 2.0$ mm, $\varnothing 32 \times 3.0$ mm	6 bar
	$\varnothing 25 \times 2.3$ mm	4 bar
3-layer:	$\varnothing 16 \times 2.0$ mm, $\varnothing 17 \times 2.0$ mm	6 bar
	$\varnothing 20 \times 2.0$ mm	6 bar
5-layer:	$\varnothing 16 \times 2.2$ mm	8 bar
	$\varnothing 16 \times 2.0$ mm, $\varnothing 17 \times 2.0$ mm	6 bar
	$\varnothing 16 \times 1.8$ mm	6 bar
	$\varnothing 20 \times 2.0$ mm	4 bar

Trade name: For 1-layer pipe: PE-RT, for 3- and 5-layer pipe: EVOH PE-RT
according to SKZ-Specification for Tests and Inspection HR 3.16:2024-02.

Users of the SKZ-mark are obliged to observe the required regulations for the production and testing of these products.

Date of initial certification: 12 July 2024

Date of expiry: 11 July 2029

Würzburg, 12 July 2024



I. A. *Michael Klute*
Dipl.-Ing. (FH) Michael Klute
Deputy Head of Certification Body

The original language of this certificate is German. In case of doubt, the German version is obligatory.
SKZ - Testing GmbH, Friedrich-Bergius-Ring 22, 97076 Würzburg, Germany | Tel. +49 931 4304-0, testing@skz.de, www.skz.de
The Certification Body of SKZ - Testing GmbH is accredited by DAkkS according to DIN EN ISO/IEC 17065:2013 under the number D-ZE-19033-01.