

CERTIFICATE



SKZ - Testing GmbH awards the following company

Heliroma-Plásticos S.A.
Zona Industrial EN1/IC2, km 250.5
PT-3850-184 Albergaria-a-Velha

Production site: PT-3850-184 Albergaria-a-Velha

the right to use the **SKZ**-mark



A 807

for the following plastic products

Pipes made of PE-RT type II, dimension group 1 ($\leq \varnothing 63$ mm)

Dimensions 1-layer or 3-layer pipes:	Application class			
	1	2	4	5
$\varnothing 16 \times 1.8$ mm / $\varnothing 17 \times 2.0$ mm	8 bar	8 bar	8 bar	6 bar
$\varnothing 16 \times 2.0$ mm	10 bar	8 bar	8 bar	8 bar
$\varnothing 16 \times 2.2$ mm / $\varnothing 20 \times 2.8$ mm	10 bar	10 bar	10 bar	8 bar
$\varnothing 20 \times 1.9$ mm / $\varnothing 25 \times 2.3$ mm / $\varnothing 32 \times 2.9$ mm	6 bar	6 bar	6 bar	4 bar
$\varnothing 20 \times 2.0$ mm	6 bar	6 bar	6 bar	6 bar
5-layer pipes:				
$\varnothing 16 \times 2.0$ mm	8 bar	6 bar	6 bar	6 bar
$\varnothing 17 \times 2.0$ mm	6 bar	6 bar	6 bar	6 bar
$\varnothing 20 \times 2.0$ mm	6 bar	6 bar	6 bar	4 bar
$\varnothing 25 \times 2.3$ mm	4 bar	4 bar	4 bar	4 bar

Trade name: ROMAPLUS (1-layer pipes, without oxygen barrier)
ROMAPLUS EVOH (3-layer pipes, with oxygen barrier)
ROMAPLUS EVOH 5 (5-layer pipes, with oxygen barrier)

according to **SKZ-Specification for Tests and Inspection HR 3.52:2018-10.**

Users of the **SKZ**-mark are obliged to observe the required regulations for the production and testing of these products.

Date of initial certification: 27 July 2022

Date of expiry: 26 July 2027

Würzburg, 22 November 2024///



i. A.

Dipl.-Ing. (FH) Michael Klute

Deputy Head of Certification Body